

High Power Handheld Signal Jammer (For worldwide all Networks)

User Manuals of **Cellular Phone** Signal Jammer **Mobile Signal**

Jammers partial applications

Police and Meeting Room, Security Services, Military Units, Prisons, Banks, Churches, Conference Rooms, Classrooms, Secret Services, News Conference Rooms, Libraries, Museums, , Customs, Houses.



Accessoried with Leather cover

- ① ON/OFF Switch
- ② Single band control switch
- ③ Input DC
- ④ Wind slots in both sides
- ⑤ LED lights for working
- ⑥ LED lights for Charging
- ⑦ Antenna
- ⑧ Single band working status indicating light
- ⑨ Inside cooling fans support jammer working 24/7 continuously

Detail pictures



American Standard



European Standard



Specification

Type	Output Port	Frequency	Radius range
Type A Europe and Middle east Market	GSM800	869-8940Mhz	5-15M @ depending on the mobile service provider's network condition
	GSM900	925-960 MHz	
	GSM1800	1805-1880 MHz	
	3G	2110-2170 MHz	
Type B American and Asia Market	CDMA800	850-894Mhz	5-15M @ depending on the mobile service provider's network condition
	GSM	925-960 MHz	
	DCS PHS	1805-1990 MHz	
	3G	2110-2170MHz	
Power supply: AC 110-240V 12V Built-In Battery: 1800mA/h			
Total output Power: 2 watt			
Device Size: 113*60*31mm Package Size: 209*52*86mm			
Net Weight: 0.275Kg Gross Weight: 0.775Kg			
System: Nextel, Wi-Fi, AMPS, TACS, NMT, GSM, DCS, CDMA, PDC, TDMA, PHS, IDEN, W-CDMA, UMTS, 3G			
Built-in battery time : 90minutes			
Temperature: -10°C to +50°C			
Euro Type:			
869-894Mhz: CDMA, GSM850, IDEN, TDMA, AMPS, CDMA800			
925-960Mhz: GSM(GSM900)			
1805-1880MHZ: DCS(GSM1800), PHS, PCS, NEXTEL			
2110-2170MHZ: UMTS, 3G, WCDMA, TD-SCDMA, CDMA2000			
USA Type:			
850-894MHZ: GSM850, IDEN, TDMA, AMPS, CDMA800, CDMA			
925-960Mhz: GSM(GSM900)			
1805-1990MHZ: GSM(GSM1800), PHS, PCS, NEXTEL, CDMA1900, GSM1900			
2110-2170MHZ: UMTS, 3G, WCDMA, TD-SCDMA, CDMA2000			



Note:

- 1、 Be sure to connect all the antennae before the power supply is switch on.
- 2、 When you get the device in the first time, recharge the device only after the power is used out. To prolong the lifespan of the device, try to recharge it no less than 12 Hours.
- 3、 Any sealed mark on the machine teared are void.
- 4、 Don't put the jammer in the water and fire to avoid using in the bad, Condition of over-wet, over-hot, high voltage and high magnetism.
- 5、 Antennae shall be used vertical to the ground, working more efficiently.